

Dice Peptides  
dicepeptides@gmail.com



**Project** 145210  
**Lab #** 205062  
**Date Rec'd** 4/28/2026  
**Report Issued** 5/13/2026

## Certificate of Analysis



**Compound** Semax  
**Label Claim** 10 mg  
**Batch/Lot** SEMAX-2603-01

<u>Analyte</u>	<u>Result</u>	<u>Units</u>	<u>LOQ</u>	<u>% of Label</u>	<u>Method</u>	<u>Date</u>	<u>CAS</u>
<b>Peptide Analysis</b>							
Chromatographic purity	99.5	%	0.5		HPLC-UV/MS	5/7/2026	
Semax	9.97	mg	0.5	99.7	HPLC-UV-MS	5/7/2026	80714-61-0
Mass Spectral Match	ID Confirmed				HPLC-UV-MS	5/7/2026	80714-61-0


The data presented are from the analysis of the sample shown and meet Krause Analytical internal quality assurance criteria unless otherwise flagged.  
Methods shown reference current Krause Analytical SOPs  
ND - Not detected LOQ - limit of quantification  
All values reported on a per vial basis unless otherwise noted  
Copyright © 2026 Krause Analytical LLC. All rights reserved.

Respectfully submitted,

Mark C. Krause  
Laboratory Director

CHROMATOGRAM

\*\*\*\*\*



## Sample Report:

1: (Time: 0.30) Combine (13:19- (7:10+29:32))

1: MS ES+  
2.7e+006